

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with David B. Bonham on 01/22/2009.

The application has been amended as follows:

Please Cancel claims 25-33

The following is an examiner's statement of reasons for allowance: The prior art neither teaches nor suggests the inclusion of a bioactive into composite layers. Indeed, if one were to look at the articles provided by Medical DeviceLink and InMat (IDS of 06/07/2004), the prior art seems to teach that these are barrier layers with poor permeability characteristics. This would make them unsuitable for drug delivery coatings. As such the claims are allowable over the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Carlos A. Azpuru whose telephone number is (571) 272-0588. The examiner can normally be reached on Tu-Fri, 6:30 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Woodward can be reached on (571) 272-8373. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Carlos A. Azpuru/
Primary Examiner, Art Unit 1615

Carlos A. Azpuru
Primary Examiner
Art Unit 1615

caz